

Claims

Please amend the claims as set forth below:

c) 1. (Amended) A method comprising:
2 a user computer, on behalf of a user, registering the user with a first web site;
3 the user computer providing a first email address received from an email
4 service provider for use to register the user with said first web site;
5 the user computer, on behalf of the user, registering the user with a second
6 web site; and
7 the user computer providing a second email address received from the email
8 service provider, separate and distinct from the first email address, for use to
9 register said user with said second web site;
10 wherein either the first and second email addresses were simultaneously pre-
11 provided to the user computer by the email service provider, or
12 each of the first and second email addresses is provided to the user
13 computer by the email service provider in real time in response to a first and a
14 second request post enrollment of the user as a service subscriber of the email
15 service provider, respectively.

1 2. (Original) The method of claim 1, wherein the first email address comprises a
2 first user identifier, and the second email address comprises a second user
3 identifier, separate and distinct from said first user identifier.

1 3. (Previously Amended) The method of claim 1, wherein the first email address
2 comprises an address of the email service provider, and the second email address
3 comprises the address of the same email service provider.

1 4. (Previously Amended) The method of claim 1, wherein the first email address
2 comprises a first user identifier and an address of the email service provider, and
3 the second email address comprises a second user identifier, separate and distinct
4 from said first user identifier, and the address of the same email service provider.

c
1 5. (Amended) The method of claim 1, wherein each of said providing of the first
2 and second email addresses by the user computer comprises selecting by said user
3 computer said first/second email address from a plurality of distinct email addresses
4 pre-provided by said email service provider to said user computer.

1 6. (Previously Amended) The method of claim 5, wherein the method further
2 comprises the user computer pre-obtaining the distinct email addresses from the
3 email service provider.

1 7. (Original) The method of claim 6, wherein the method further comprises the
2 email service provider pre-generating the distinct email addresses.

1 8. (Previously Cancelled)

1 9. (Amended) The method of claim 1, wherein each of said providing of the first
2 and second email addresses by the user computer comprises the user computer
3 dynamically obtaining said first/second email address from the email service

4 provider as the user computer registers the user with the first/second web site, post
5 enrollment of the user as a service subscriber of the email service provider.

1 10. (Original) The method of claim 9, wherein each of said dynamically obtaining
2 comprises the email service provider selecting said first/second email address from
3 a plurality of pre-generated distinct email addresses.

1 11. (Original) The method of claim 9, wherein each of said dynamically obtaining
2 comprises the email service provider dynamically generating said first/second email
3 address.

1 12. (Previously Amended) The method of claim 1, wherein the method further
2 comprises the user computer notifying the email service provider of the usage of the
3 first and second email address, including addresses of the first and the second web
4 site.

1 13. (Amended) The method of claim 12, wherein each of said notification is
2 performed integrally as said first/second email address is provided to said user
3 computer for use to register the user with the first/second web site.

1 14. (Amended) The method of claim 12, wherein said notifications are performed
2 subsequently in batch after said first and second email addresses were provided to
3 said user computer for use to register the user with the first and the second web
4 site.

1 15. (Original) The method of claim 1, wherein the method further comprises:

2 receiving emails addressed to said first and second email addresses;
3 organizing said received emails based at least in part on whether the emails
4 are addressed to the first or the second email address.

1 16. (Original) The method of claim 15, wherein said organizing of said received
2 emails is at least further based on whether said received emails addressed to said
3 first/second email addresses were sent by said first/second web site or not.

cl 1 17. (Original) The method of claim 16, wherein the method further comprises
2 deleting all received emails addressed to said first/second email addresses not sent
3 by said first/second web site, while preserving all undeleted emails addressed to
4 said first/second email addresses sent by said first/second web site.

1 18. (Original) The method of claim 17, wherein said bifurcated deletion is
2 performed in response to an instruction of said user.

1 19. (Original) The method of claim 18, wherein the method further comprises
2 providing the user with an end user interface feature to provide said deletion
3 instruction with a single press of a key/control button.

1 20. (Original) The method of claim 1, wherein the web site is a selected one of a
2 content provider, a service provider and an access provider.

1 21. (Original) A method comprising:
2 an electronic device (e-device) obtaining a plurality of distinct email
3 addresses from an email service provider;

4 the e-device selecting a first of said distinct email addresses to facilitate
5 communication with a first communication partner or group of communication
6 partners (CP/GCP); and

7 the e-device selecting a second of said distinct email addresses to facilitate
8 communication with a second CP/GCP.

22. (Amended) The method of claim 21, wherein the method further comprises
the e-device first notifying the email service provider of said selection of the
first of said distinct email addresses to facilitate communication with the first
CP/GCP; and

the e-device subsequently notifying the email service provider of said
selection of the second of said distinct email addresses to facilitate communication
with the second CP/GCP.

23. (Amended) The method of claim 21, wherein the method further comprises
the e-device concurrently notifying the email service provider of said selections of
the first and the second of said distinct email addresses to facilitate communication
with the first and the second CP/GCP.

24. (Amended) A method comprising:
an electronic device (e-device) requesting and receiving for a user, a first
email address from an email service provider;
the e-device employing the received first email address to facilitate
communication between with the user and a first communication partner or group of
communication partners (CP/GCP);

7 the e-device requesting and receiving for the user, a second email address,
8 separate and distinct from said first email address, from the email service provider;
9 and

10 the e-device employing the received second email address to facilitate
11 communication with ~~with~~ between the user and a second CP/GCP.

1 25. (Original) The method of claim 24, wherein the method further comprises
2 the e-device notifying the email service provider of said employment of the
3 first email address to facilitate communication with the first CP/GCP; and

4 the e-device notifying the email service provider of said employment of the
5 second email address to facilitate communication with the second CP/GCP.

1 26. (Previously Amended) The method of claim 25, wherein each of said
2 notifications is made integrally when the e-device requests for said first/second
3 email address from said email service provider.

1 27. (Original) The method of claim 25, wherein each of said notifications is made
2 after the e-device having been provided with said first/second email address from
3 said email service provider.

1 28. (Amended) A method comprising:

2 a email service provider registering a user of an electronic device (e-device),
3 as a service subscriber of the email service provider; and

4 the email service provider providing at least a first and a second email
5 address, that are separate and distinct, to the e-device user for use by the e-device

6 to facilitate communication between the user ~~to communicate with~~ and a first and a
7 second communication partner or group of communication partners (CP/GCP).

1 29. (Amended) The method of claim 28, wherein the method comprises the email
2 service provider providing a plurality of distinct email addresses to ~~the~~an electronic
3 device (e-device) used by the user for the e-device to select said first and second
4 separate and distinct email addresses.

c1 1 30. (Amended) The method of claim 28, wherein the method comprises the email
2 service provider providing in real time said first/second email address to ~~the~~an
3 electronic device used by the user.

1 31. (Amended) The method of claim 28, wherein the method further comprises
2 the email service provider receiving notification of usage of said first/second email
3 address with said first/second CP/GCP from ~~the~~an electronic device used by the
4 user.

1 32. (Amended) The method of claim 28, wherein the method further comprises
2 the email service provider receiving notification of usage of said first and second
3 email addresses with said first and second CP/GCP respectively from ~~the~~an
4 electronic device used by the user.

1 33. (Amended) A method comprising:
2 a email service provider receiving emails addressed to a first and a second
3 email address of a user, the first and second email addresses having been provided
4 to an electronic device (e-device) of the user for the e-device to facilitate

5 communication between the user and a first and a second intended communication
6 partner respectively; and

7 the email service provider organizing said received emails based at least in
8 part on said first and second email addresses, and intended versus unintended
9 communication partners of said first and second email addresses.

C/ 1 34. (Original) The method of claim 33, wherein the method further comprises
2 providing said emails to the user, with the emails characterized by at least said first
3 and second email addresses, and intended versus unintended communication
4 partners of said first and second email addresses.

1 35. (Amended) A method comprising:
2 receiving emails by an electronic device (e-device) of a user, from an email
3 service provider, wherein the emails are characterized based at least in part on by
4 email addresses, and intended versus unintended communication partners of each
5 of said email addresses; and
6 presenting by the e-device said emails for viewing by thea user, organized by
7 at least said email addresses and said intended versus unintended communication
8 partners of said email addresses.

1 36. (Amended) The method of claim 35, wherein the method further comprises
2 the e-device deleting all received emails addressed to the first/second email address
3 not sent by the intended communication partner of the first/second email address.

1 37. (Original) The method of claim 36, wherein said deletion is performed in
2 response to user instruction.

1 38. (Amended) The method of claim 37, wherein the method further comprises
2 the e-device providing the user with an end user interface feature to provide said
3 user instruction with a single press of a key/control button.

1 39. (Original) An apparatus comprising:
2 a storage medium having stored therein a plurality of programming
3 instructions designed to enable the apparatus (when the programming instructions
4 are executed) to obtain a plurality of distinct email addresses from an email service
5 provider, to selecting a first of said distinct email addresses to facilitate
6 communication with a first communication partner or group of communication
7 partners (CP/GCP), and to select a second of said distinct email addresses to
8 facilitate communication with a second CP/GCP; and
9 a processor coupled to the storage medium to execute the plurality of
10 programming instructions.

1 40. (Original) The apparatus of claim 39, wherein the programming instructions
2 further enable the apparatus (when the programming instructions are executed) to
3 notify the email service provider of said selection of the first and the second of said
4 distinct email addresses to facilitate communication with the first and the second
5 CP/GCP.

1 41. (Amended) An apparatus comprising:
2 a storage medium having stored therein a plurality of programming
3 instructions designed to enable the apparatus (when the programming instructions
4 are executed) to obtain a first and a second distinct email address from an email

5 service provider in real time, and correspondingly earmarking said first and second
6 distinct email addresses to facilitate communication between a user and with a first
7 and a second communication partner or group of communication partners
8 (CP/GCP); and
9 a processor coupled to the storage medium to execute the plurality of
10 programming instructions.

41
1 42. (Original) The apparatus of claim 41, wherein the programming instructions
2 (when executed) further enable the apparatus to notify of said employment of the
3 first and second email addresses to facilitate communication with the first and
4 second CP/GCP.

1 43. (Original) The apparatus of claim 42, wherein the programming instructions
2 (when executed) enable the apparatus to make each of said notifications integrally
3 when requesting for said first/second email address from said email service
4 provider.

1 44. (Original) The apparatus of claim 42, wherein the programming instructions
2 (when executed) enable the apparatus to make each of said notifications after
3 having been provided with said first/second email address from said email service
4 provider.

1 45. (Amended) An apparatus comprising:
2 a storage medium having stored therein a plurality of programming
3 instructions design to enable the apparatus (when the programming instructions are
4 executed) to register a user as a service subscriber of the apparatus, and to provide

5 at least a first and a second email address, that are separate and distinct, to an
6 electronic device of the user for use by the electronic device user to facilitate
7 communication ~~with~~ between the user and a first and a second communication
8 partner or group of communication partners (CP/GCP); and
9 a processor coupled to the storage medium to execute the programming
10 instructions.

CI 1 46. (Amended) The apparatus of claim 45, wherein the programming instructions
2 (when executed) enable the apparatus to provide a plurality of distinct email
3 addresses to the ~~an~~ electronic device (e-device) used by the user for the e-device to
4 select said first and second separate and distinct email addresses.

1 47. (Amended) The apparatus of claim 45, wherein the programming instructions
2 (when executed) enable the apparatus to provide in real time said first/second email
3 address to the ~~an~~ electronic device used by the user.

1 48. (Amended) The apparatus of claim 45, wherein the programming instructions
2 (when executed) further enable the apparatus to receive notification of usage of said
3 first/second email address with said first/second CP/GCP from the ~~an~~ electronic
4 device used by the user.

1 49. (Amended) The apparatus of claim 45, wherein the programming instructions
2 (when executed) enable the apparatus to receive notification of usage of said first
3 and second email addresses with said first and second CP/GCP respectively from
4 the ~~an~~ electronic device used by the user.

C1

1 50. (Amended) An apparatus comprising:
2 a storage medium having stored therein a plurality of programming
3 instructions designed to enable the apparatus (when the programming instructions
4 are executed) to receive emails addressed to a first and a second email address of
5 a user, and to organize said received emails based at least in part on said first and
6 second email addresses, and intended versus unintended communication partners
7 of said first and second email addresses, wherein the first and second email
8 addresses having been provided to an electronic device (e-device) of the user for
9 the e-device to facilitate communication between the user and a first and a second
10 intended communication partner respectively; and
11 a processor coupled to the storage medium to execute the plurality of
12 programming instructions.

1 51. (Original) The apparatus of claim 50, wherein the programming instructions
2 (when executed) further enable the apparatus to provide said emails to the user,
3 with the emails characterized by at least said first and second email addresses, and
4 intended versus unintended communication partners of said first and second email
5 addresses.

1 52. (Original) An apparatus comprising:
2 a storage medium having stored therein a plurality of programming
3 instructions designed to enable the apparatus (when the programming instructions
4 are executed) to receive emails from an email service provider, the emails being
5 characterized based at least in part on by email addresses, and intended versus
6 unintended communication partners of each of said email addresses, and to present
7 said emails for viewing by a user, organized by at least said email addresses and

8 said intended versus unintended communication partners of said email addresses;
9 and

10 a processor coupled to the storage medium to execute the plurality of
11 programming instructions.

cl
1 53. (Original) The apparatus of claim 52, wherein the programming instructions
2 (when executed) further enable the apparatus to delete all received emails
3 addressed to the first/second email address not sent by the intended communication
4 partner(s) of the first/second email address.

1 54. (Original) The apparatus of claim 53, wherein the programming instructions
2 (when executed) further enable the apparatus to perform said deletion in response
3 to user instruction.

1 55. (Original) The apparatus of claim 54, wherein the programming instructions
2 (when executed) further enable the apparatus to provide the user with an end user
3 interface feature to provide said user instruction with a single press of a key/control
4 button.
